

MAY 25 2006

10/674,966

01AB175C/ALBRP246USC

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A system that facilitates optimizing industrial business operations, comprising:
 - a component that receives data relating to at least one state state(s) of a subset of machines that are part of the industrial business operations; and
 - a prognostics engine that infers at least one future state(s) state of at least a subset of the operations based in part on the received data, the prognostics engine comprising a plurality of intelligent software agents that serve as proxies for at least the subset of machines, for modeling and representing interactions with one another, and for facilitating convergence on modification and control of the subset of machines, for efficiently optimizing industrial business operations.
2. (Original) The system of claim 1, further comprising a host computer that executes the prognostic engine.
3. (Original) The system of claim 1, the prognostic engine comprising a classifier.
4. (Original) The system of claim 1, at least a subset of the machines comprising prognostic components that collaborate in a distributed manner.
5. (Previously Presented) The system of claim 4, at least one of the prognostics components performs prognoses for a cluster of machines.

10/674,966

01AB175C/ALBRP246USC

6. (Previously Presented) The system of claim 4, the prognosis engine and the prognostic components collaborating to improve operating rate of at least a subset of the machines.
7. (Original) The system of claim 3, the classifier performs a probabilistic analysis in connection with the inference.
8. (Original) The system of claim 1, at least a subset of the machines and/or components are represented by intelligent agents.
9. (Original) The system of claim 1, at least a subset of the machines and/or components are physically located remote from one another.
10. (Previously Presented) A method that facilitates asset optimization in an industrial automation environment, comprising:
 - receiving and analyzing in real-time data relating to diagnoses and prognoses of operational aspects of a subset of machines that are part of the industrial automation system;
 - modeling and representing interactions of the subset of machines, for facilitating convergence on modification and control of the subset of machines; and
 - modifying asset utilization in the industrial automation system based at least in part as a function of the analyzed diagnostic and prognostic machine data.
11. (Original) The method of claim 10 further comprising:
 - selecting a desired operating point within an allowable range of operation about a system setpoint according to performance characteristics associated with at least one of the machines; and
 - controlling at least one machine according to the desired operating point.
12. (Original) The method of claim 10, further comprising employing an options based analysis in connection with asset management.

10/674,966

01AB175C/ALBRP246USC

13. (Original) The method of claim 11, further comprising obtaining the system setpoint and the allowable range of operation from a user.
14. (Original) The method of claim 11, wherein selecting the desired operating point comprises:
- correlating at least two of motor efficiency information, pump efficiency information, and motor drive efficiency information in order to derive correlated system efficiency information; and
 - selecting the desired operating point as the optimum efficiency point within the allowable range of operation according to the correlated system efficiency information.
15. (Original) The method of claim 14, wherein controlling the system according to the desired operating point comprises providing a motor speed signal to the motor drive according to the desired operating point.
16. (Original) The method of claim 14, further comprising obtaining at least one of the efficiency information, the allowable range, and the system setpoint from a user.
17. (Original) The method of claim 14, further comprising obtaining at least one of the efficiency information, the allowable range, and the system setpoint from a host computer.
18. (Original) The method of claim 17, wherein the at least one of the efficiency information, the allowable range, and the system setpoint is obtained via a network.
19. (Original) The method of claim 18, wherein the at least one of the efficiency information, the allowable range, and the system setpoint is obtained via wireless communications.

10/674,966

01AB175C/ALBRP246USC

20. (Original) The method of claim 14, further comprising obtaining at least a portion of one of the efficiency information, the allowable range, and the system setpoint from prior operation of the system.

21. (Original) The method of claim 11, wherein selecting the desired operating point comprises:

correlating component performance information associated with at least two components in the system in order to derive correlated system performance information; and

selecting the desired operating point as the optimum performance point within the allowable range of operation according to the correlated system performance information.

22. (Original) The method of claim 21, wherein controlling the system according to the desired operating point comprises providing a setpoint to a controller associated with the system according to the desired operating point.

23. (Original) The method of claim 12, further comprising automatically ordering an asset *via* the Internet.

24. (Original) The method of claim 21, further comprising obtaining at least one of the performance information, the allowable range, and the system setpoint from a host computer.

25. (Original) The method of claim 24, wherein the at least one of the performance information, the allowable range, and the system setpoint is obtained via a network.

26. (Original) The method of claim 25, wherein the at least one of the performance information, the allowable range, and the system setpoint is obtained via wireless communications.

10/674,966

01AB175C/ALBRP246USC

27. (Original) The method of claim 21, further comprising obtaining at least a portion of one of the performance information, the allowable range, and the system setpoint from prior operation of the system.

28. (Original) The method of claim 21, wherein the component performance information comprises at least one of life cycle cost information, efficiency information, life expectancy information, safety information, emissions information, operational cost information, MTBF information, noise information, and vibration information.

29. (Original) The method of claim 28, wherein the system comprises a motorized pump system for pumping fluid, having an electric motor operatively coupled with a pump, and a motor drive providing electrical power to the motor, wherein the component performance information comprises efficiency information related to at least two of the motor, the pump, and the motor drive, and wherein the correlated system performance information comprises cost information related to the system operational cost per unit of fluid pumped.

30. (Original) The method of claim 10, wherein the system comprises a motorized pump system having an electric motor operatively coupled with a pump, and a motor drive providing electrical power to the motor, and wherein the performance characteristics associated with a plurality of components in the system comprises life expectancies of at least two of the motor, the pump, and the motor drive.

31. (Original) The method of claim 10, wherein the system comprises a motorized pump system having an electric motor operatively coupled with a pump, and a motor drive providing electrical power to the motor, and wherein the performance characteristics associated with a plurality of components in the system comprises cost of operation associated with at least two of the motor, the pump, and the motor drive.

10/674,966

01AB175C/ALBRP246USC

32. (Original) The method of claim 10, wherein selecting the desired operating point comprises measuring at least one process variable from a sensor associated with the system.
33. (Previously Presented) A system that facilitates asset optimization in an industrial automation environment, comprising:
- means for receiving and analyzing in real-time data relating to prognoses of operational aspects of machines and/or business components that are part of the industrial automation system;
 - means for modeling and representing interactions between the machines and/or business components; and
 - means for regulating a subset of the machines and/or business components based at least in part as a function of the analyzed diagnostic and prognostic machine data.
34. (Original) The system of claim 33 further comprising means for inferring future states of the subset of machines.
35. (Original) The system of claim 33 further comprising means for inferring future states of the subset of business components.
36. (Original) A computer readable medium storing the components of claim 1.
37. (Original) A computer readable medium having stored thereon computer executable instructions for performing the method of claim 10.
38. (Currently Amended) A data packet adapted to be transmitted between at least two computer processes, comprising:
- a data field comprising information ~~relating to regulating~~ that regulates operation of a business component based at least upon prognostic data concerning a machine.

10/674,966

01AB175C/ALBRP246USC

39. (Original) An industrial automation layout methodology, comprising:
analyzing machine related prognostic data;
analyzing business concern data;
analyzing business objective data; and
specifying machine acquisition based at least in part upon the analyses.
40. (Original) A computer-implemented method for ordering parts in an industrial automation environment, comprising:
automatically receiving an analyzing data relating to a prognosis of a future state of a machine;
automatically inferring a failure period for at least one part of the machine; and
automatically ordering a replacement for the at least one part prior to the inferred failure period.
41. (Original) The method of claim 40 further comprising employing an options based scheme in connection with machine management.
42. (Original) The method of claim 40 further comprising employing an options based scheme in connection with decision support.
43. (Original) The method of claim 40 further comprising employing an options based scheme in connection with asset optimization.
44. (Previously Presented) A system that facilitates optimizing industrial business operations, comprising:
a component that receives data relating to state of a subset of machines that are part of the industrial business operations; and
a prognostics engine that infers future state of at least a subset of the operations based in part on the received data, the prognostics engine comprising a plurality of intelligent software agents that serve as proxies for at least the subset of machines, for

10/674,966

01AB175C/ALBRP246USC

modeling and representing interactions with one another, and for facilitating convergence on modification and control of the subset of machines.

45. (Original) The system of claim 44, the prognostic engine infers future business conditions.

46. (Original) The system of claim 45, the future business conditions comprising at least one of future raw materials and future product demand.

47. (Previously Presented) A system that facilitates optimizing industrial business operations, comprising:

a component that receives data relating to state of a that is part of the industrial business operations; and

a prognostics engine that infers future state of at least a subset of the operations based in part on the received data, the prognostics engine comprising a plurality of intelligent software agents for modeling and representing interactions between the subset of machines, for efficiently optimizing industrial business operations.